

DDA 85-0964 30 August 1985

NOTE FOR: Chief, New Building Project Office

SUBJECT: Profile of Mr. Casey

Bot.

1. Do not want for dedication. Have it ready for installation when foyer is being finished inside.

- 2. Suggest granite blend into the motif of foyer. Like that of Dulles.
- I can arrange an interview whenever the Sculptor is ready to start chipping.

Harry F. Fitzwater

Attachment

DDA/HEFitzwater:rf (30 Aug 85)

Distribution:

Orig - Addressee

1 - DDA Subject

1 - DDA Chrono

1 - HEF Chrono

STAT

To do a profile of Mr. Casey in marble, the following considerations must be addressed:

TIME: To have it ready for the dedication ceremony is difficult. The artist is willing to try but can't make a promise.

MARBLE: To use the same green marble we have for the plaque will require the acquisition of a large piece and the selection from this large slab a section that is free from large white grains. He suggests we consider a different material such as black granite.

INTERVIEW WITH:

Mr. Casey: Artist would want to talk to Mr. Casey to get to know him.

To work from photograph alone, the artist feels, will not produce a true representation of the subject.

<u>Dimensions</u>: Artist will need to do some measurements of subject.

Profile will be 1 1/4 times actual size.


Sanitized Copy Approved for Release 2010/10/14 : CIA-RDP88G00186R000800950034-7

STAT

ROUTING AND	TRANSMITTAL SLIP	Dete		
O: (Name, office symbol	, room number,	Initials	Date	
building, Agency/Pos	e y	Δ	20	
XOI DDA	· .		de	
alin.		au	ap	
Court.			05	
		· ·		
->1 F				
DDA NO	SSISTRY			
			<u> </u>	
Action	File	Note and Reti		
Approval	For Clearance	Per Conversa		
As Requested	For Correction	Prepare Reply		
Circulate	For Your Information	See Me		
Comment	Investigate	Signature		
Coordination .	Justify			
anagel you gave.	for the attack for logic from me-the load we taken. T	n P+PD on how houses.	irlu , The	
•		BA	•	
DO NOT use this form	as a RECORD of approvals clearances, and similar actio	s, concurrences, ns	disposals	
FROM: (Name, org. sym	nbol, Agency/Post)	Room No	-Bldg.	
GNAPO	•	Phone No.		
5041-102	OPTION/ Prescribed FPMR (41	AL FORM 41 (Res by GSA CFR) 101-11.206	ev. 7–76)	

Sanitized Copy Approved for Release 2010/10/14: CIA-RDP88G00186R000800950034-7

☆ GPO : 1980 0 - 311-156 (17)




PLEASE NOTE:

THESE ARE CONTACT PRINTS.


THE EXPOSURES ARE NOT PERFECT ON CONTACTS.


THE FINAL PRINT WILL BE CORRECT.


PHOTO LAW.





UE	SERVICE REQUIRED	SIZE	NUMBER OF ORIGINALS	COP	IES REQ'D. N EACH		AL NUMBER F COPIES	SPECIAL INSTRUCTIONS
				NEG		N E G		
	PHOTOSTAT			P 0 5		Pos		
	OZALID					<u></u>		
	XEROX							








































PLEASE NOTE .

THESE ARE CONTACT PRINTS.


THE EXPOSURES ARE NOT PERFECT ON CUMPACTS.


THE FINAL PRINT WILL BE CORRECT.

PHOTO LAB



		1	1
MICROFILM			_
OZAPHANE			
PROCESS FILM			
MICRO- TRONICS			_
DIEBOLO			_
GR APH I C S			
8 × 10	N E G	NEG	
ENLARGING	POS	Pos	
CCMPOSITE PRINTS			
ter.			





Sanitized Copy Approved for Release 2010/10/14 : CIA-RDP88G00186R000800950034-7

